


高性能 AC LED照明整体方案解决商

Total Solution for High Quality AC LED Lighting



版面有限，欢迎索取更多电子版资料!

LED工矿灯光引擎模组/ LED High Bay Module Series



CCC CE ROHS SAA

规格参数/Specs :

型号/Item	EM804F130-3030-7 8-V1.0	EM804F150-3030-117-V1 .0	EM804F150-3030-177-V 1.0	EM804F195-3030-234-V 1.0
电压/Input Voltage	AC90 130V/AC200 265V/50 60HZ			
功率/Rated Power	50W/70W	80W/100W	120W/150W	180W/200W
功率因素/Pf c	>0.97			
光通量/Lumen	5700lm@50W	11000lm@100W	15000lm@150W	19700lm@180W
抗浪涌/Surge Protection	在板 4KV浪涌保护/4KV surge protector on PCB		外接 6KV浪涌保护/6KV surge protector external	
LED规格/LED Chips	3030 78PCS	3030 117PCS	3030 177PCS	3030 234PCS
发光角度/Beam Angle	140°			
灯板尺寸/Dimension	F130mm*2.0mm	F150mm*2.0mm	F150mm*2.0mm	F195mm*2.0mm

适配产品参考/Application :


LED 大功率球泡灯/LED High Power Bulb

LED 工矿灯/LED High Bay Light

LED 防爆灯/LED Explosion Proof Light



LED工矿灯光引擎模组/ LED High Bay Module Series



CCC CE ROHS SAA

规格参数/Specs :


型号/Item	EM804F110-3030-1 17-V1.0	EM804F110-5050-50 -V1.0	EM804F110-5050-70- V1.0	EM804F110-5050-80- V1.0
电压/Input Voltage	AC200-265V/50-60HZ			
功率/Rated Power	80-100W	150W	180W/200W	200W/240W
功率因素/Pfc	>0.97			
光通量/Lumen	10000lm@100W	16500lm@150W	22000lm@200W	25000lm@240W
抗浪涌/Surge Protection	外接 6KV浪涌保护/6KV surge protector external			
LED规格/LED Chips	3030 117PCS	5050 50PCS	5050 70PCS	5050 80PCS
发光角度/Beam Angle	140°			
灯板尺寸/Dimension	F110mm*2.0mm			

适配产品参考/Application :

LED 大功率球泡灯/LED High Power Bulb
LED 工矿灯/LED High Bay Light
LED 防爆灯/LED Explosion Proof Light



UFO工矿灯光引擎模组(带透镜) / UFO High Bay Module Series (With Lens)



CCC CE ROHS SAA

规格参数/Specs :

型号/Item	EM804F146-2835-75-V1 .0	EM804F236-2835-135- V3.0	EM804F236-3030-177- V3.0	EM804F263-3030-247- V3.0
电压/Input Voltage	AC90-130V/AC200-265V/50-60HZ			
功率/Rated Power	50W	100W	150W	200W
功率因素 Pfc	>0.97			
光通量/Lumen	5300lm@50W	11000lm@100W	161000lm@150W	21200lm@200W
抗浪涌 /Surge Protection	在板 4KV浪涌保护/4KV surge protector on PCB		外接 6KV浪涌保护/6KV surge protector external	
LED规格/LED Chips	2835-75pcs	2835-135pcs	3030-177pcs	3030-247pcs
发光角度/Beam Angle	140°x60°透镜/With Lens)			
灯板尺寸/Dimension	F146mm*2.0mm	F236mm*2.0mm	F236mm*2.0mm	F263mm*2.0mm


适配产品参考/Application :

LED 飞碟灯/LED Low Bay Light

LED UFO 工矿灯/ UFO LED High Bay Light



投光灯光引擎模组/LED Flood Light Module Series



CCC CE ROHS SAA

规格参数/Specs:

型号/Item	EM804FL10W 2835-27-V2.2	EM804FL20W283 5-54-V2.2	EM804FL30W2835 -80-V2.2	EM804FL50W2835 80-V2.2	EM804FL100W2835 -135-V2.2
电压/Voltage Input	AC90 130V/AC200265V/50 60HZ				
功率/Rated Power	10W	20W	30W	45W	90W
功率因素 Pfc	>0.97				
光通量/Lumen	1000lm@10W	2100lm@20W	3100lm@30W	5600lm@45W	10500lm@90W
抗浪涌 /Surge/Protection	在板 4KV浪涌保护/4KV surge protection on PCB				
LED规格/LED Chips	2835 27pcs	2835 54pcs	3030 80pcs	3030 80pcs	3030 135pcs
发光角度/Beam Angle	120°				
灯板尺寸/Dimension	W62mm*50mm	W80mm*75mm	W99mm*82mm	W120mm*102mm	W160mm*137mm

适配产品参考/Application:

LED 投光灯/LED Flood Light



路灯、隧道灯光引擎模组/Street Light&Tunnel Light Module Series



CCC CE ROHS SAA

规格参数:

型号/Item	EM804DOB20502.2
电压/Input Voltage	AC90-130V/AC200-265V/50-60HZ
功率/Rated Power	30-50W
功率因素/Pfc	>0.97
光通量/Lumen	4600lm@40W
抗浪涌 /Surge Protection	外置 10KV浪涌保护/10KV surge protection external
LED规格/LED Chips	3030 45pcs
发光角度/Beam Angle	120°
灯板尺寸/Dimension	L88mm*70mm*6mm

适配产品参考/Application:

LED 路灯/LED Street Light

LED 隧道灯/LED Tunnel Light



路灯、隧道灯光引擎模组/Street Light & Tunnel Light Module Series



CCC CE ROHS SAA


规格参数:

型号/Item	EM804DOB30503.3	EM804DOB30504.1
电压/Input Voltage	AC90-130V/AC200-265V/50-60HZ	
功率/Rated Power	30W/50W	30W/50W
功率因素/Pf c	>0.97	
光通量/Lumen	5500lm@50W	5900lm@50W
抗浪涌 /Surge Protection	外置 10KV浪涌保护/10KV surge protection external	在板 3KV浪涌保护/3KV surge protection on PCB
LED规格/LED Chips	3030 64pcs	3030 64pcs
发光角度/Beam Angle	60°x70°x120° 透镜 / 60°x70°x120° Lens	
灯板尺寸/Dimension	244mm*48mm*2.0mm	234mm*56mm*1.5mm

适配产品参考/Application :

- LED 路灯/LED Street Light
- LED 投光灯/LED Flood Light
- LED 隧道灯/LED Tunnel Light





220V直驱动，无需LED驱动/ Operate with 220V AC directly, No need led driver
过高温、高压、过热保护，保证过安规，With OVP, OCP, OTP, ensure pass safety test
技术源自台湾，品质有保证/ Technology from Taiwan, Good quality

联系方式/Contact

广州满坤电子有限公司

地址/Add: 广州市南沙区东涌镇市南路东涌段40号

电话/Tel: 86-020-34832899